
Trodat products are truly original:

37 years ago, the first plastic self-inking stamp was invented with the Trodat Printy. Since then, more than 250 million have been sold all over the world. Each year comes the arrival of new innovations such as Multi Color Impression, the first stamp with personalised multi-colour impressions, or the Trodat Mobile Printy, the first clean, single-handed pocket stamp.

Continuous developments in staff, processes and materials ensure high standards of quality at Trodat. You can be sure that you are getting only the best stamp products for your needs.

Continuity, trust and innovation also characterise the cooperation of Trodat with its sales partners – in more than 150 countries around the globe.

www.trodat.net











Trodat GmbH Linzer Straße 156, 4600 Wels, Austria E-Mail: trodat@trodat.net

CATALOGUE 2013/2014





TRODAT BESTSELLERS - CLIMATE-NEUTRAL. AS STANDARD.



... -30% CO₂ BY 2020

Two years after introducing the Original Printy 4.0, which has incredible CO₂ savings of up to 49%* with respect to its predecessor model and offers climate neutrality as standard, Trodat is once again raising the subject of environment and climate protection in the stamp industry to a new level. Markus Würcher, Managing Director of Trodat GmbH, spoke with Dr. Hildegard Aichberger, Managing Director of the World Wide Fund for Nature (WWF®) Austria, in July 2012 against the backdrops of extremely ambitious targets: wanting to reduce Trodat's CO₂ footprint 30% by 2020 and the absolute necessity of climate-neutral products as the standard instead of as special green product lines.

*ECO-black and ECO-grey. Lower percentage for other colours. More at www.printy.trodat.net

MW: Dr. Aichberger, how has the subject of CO₂ footprint and climate neutrality developed in the economy since our last conversation two years ago?

HA: In the last two years, model companies have increasingly made a mark on the economy with the issues of environment and climate protection. In connection with this, CO₂ footprint reduction has become more of a central objective for organisations. There are also many more companies that go a step further and offer their products as climate neutral by investing in climate-protection projects to compensate for the residual CO₂. In the beginning climate neutrality was mainly an issue in the

paper and printing industries, however big companies in other industries are now offering their products or services as climate neutral. It is always important to obey the basic principle 'first avoid CO_2 , then reduce CO_2 , and then compensate for CO_2 . To simply compensate for CO_2 would absolutely be the wrong way to operate. The objective is to not allow CO_2 to occur in the first place. CO_2 is the most important greenhouse gas.

It accumulates due to its longevity in the atmosphere, therefore simply compensating for CO_2 wouldn't solve our climate problem. It would amount to a kind of 'selling of indulgences'. That is why it's so important to take the route that Trodat

has already taken with the Original Printy 4.0, and first avoid CO_2 as much as possible, then reduce CO_2 , and only in the third step compensate for truly unavoidable CO_2 .

MW: Why do you think there's increasing awareness about the subject of environment and climate protection in the economy?


HA: It's now been clearly demonstrated that our climate is warming and that humans are responsible. Doing nothing is the most expensive solution in the long run. It will destroy our prosperity and our economy. When you consider the CO₂ concentration in our atmosphere,

Climate researchers predict

that global warming of +2 °C will be reached even at a 450 ppm CO₂ concentration.

This mark could be reached as early as the year 2030 at the current constant average increase of 2–3 ppm per year.

It would thus severely impact our children and grandchildren as early as the second half of this century! There have always been temperature fluctuations on earth, but they had cycles of tens of thousands of years. Fluctuations of more than +2 °C have appeared very rarely in Earth's history, but most significantly never 'in an instant', as in the last 200 years since the beginning of the industrial age. This development is so dramatic because the temperature on our planet demonstrably follows CO₂ concentration, i.e. if CO₂ concentration in the atmosphere increases, then the earth's temperature also rises





Dr. Hildegard Aichberger (WWF® Austria) in conversation with Markus Würcher (Trodat GmbH).

you'll find that it has increased dramatically in recent decades.

If it amounted to between 200 and 300 ppm (parts per million) during the preindustrial 400,000 years, it's already between 390 and 400 ppm today and continues to climb (see box). This means that $\rm CO_2$ concentration is already +33% above the highest natural values of the last 400,000 years.

A concomitant temperature increase of more than +2 °C can endanger our whole livelihood: the growing seasons and the water cycle would change; devastating floods, droughts, and wind storms would result. Sea levels would rise significantly. Many countries and coastal megacities would be massively affected, because large parts of them would be flooded. Since 1990 at any rate, the number of climate-related disasters has doubled. The point here is that +2 °C represents the 'best case scenario' that we can only reach if we immediately apply all our available resources and achieve a CO₂-free society by 2050. If we don't do this, the mean temperature will increase considerably more than +2 °C and the consequences for humans could no longer be assessed.

MW: Everyone's talking about climate neutrality or CO₂ reduction these days. Is the subject already socio-politically relevant?

HA: The 'mainstreaming' in the language is somewhat problematic, because it doesn't help to generate concern among people. Unfortunately we don't have a sense organ to detect creeping climate changes.

MW: So is it the responsibility of politicians to educate the population?

HA: That it is, and a few steps have already been taken. The EU Commission stipulated the so-called '20-20-20 target'

in its climate protection and energy policy: greenhouse gases must be reduced by at least 20% by 2020 relative to 2005. The proportion of renewable energy sources (wind, sun, biomass, etc.) must increase to 20% (2005 EU-wide 8.5%, 2010 already 12.4%), and energy efficiency must also increase by 20%.

Thus energy consumption at constant economic output must decrease by 20%. We're already farther along in Austria: the proportion of renewable energy was 31% in 2010. Our stipulated 2020 target is 34%, with which we contribute to the pan-European 20% target. It's crucial that these values represent the absolute minimum to avert a scenario as described previously. The states current action plans are not yet sufficient to meet these requirements. These climate targets are also the requirement that the WWF® places on its best-practice companies and cooperation partners.

MW: Trodat has now set itself the goal of reducing its CO_2 footprint 30% at the company and product level by 2020. How do you view a goal of this magnitude in this context?

HA: Reducing CO₂ emissions 30% by 2020 is the right goal. It's ambitious and challenging. Trodat thus clearly surpasses all of the targets currently prescribed by policy objectives. It proves that Trodat doesn't just want to exploit the subject of environment and climate protection as a communication tool, but really wants to live it with complete conviction. For the WWF® Austria, Trodat qualifies as an absolute best-practice company in terms of environmental and climate protection, not only within the office products industry, but also in the entire economy. This goal is also absolutely outstanding internationally! To be able to achieve such a goal, it is

essential to reduce the CO2 footprint of its main products to a minimum thus committing its core business to environment and climate protection. This will strive for systematic change. Measures in these areas make overriding sense for the WWF® Austria. because their effects are significant due to the relatively higher sales volume. From our point of view, true environment and climate protection orientation manifests itself by the company showing that it commits its main business - i.e. its standard products, to environmental and climate protection, thus maximizing the positive impact. The path taken by Trodat to offer its main products as carbon neutral is therefore exactly the right one. That should be preferred to just offering green secondary product lines because of the more positive climatic effect. Climate neutrality as standard is the only way to achieve a CO₂-free economy by 2050 thereby achieving the 2 °C target.

MW: How do you think the industry will respond to Trodat's announcement that it wants to reduce its CO2 footprint 30% by 2020?

HA: The role-model effect is extremely important in climate protection. I hope that other companies learn a lesson from the positive example set by Trodat and take action to reduce their CO₂ footprint. It's the only way to achieve the goal of a CO₂-free economy by 2050. In any case, I congratulate Trodat on the decision to set such an ambitious CO₂ reduction target for itself and to continue their efforts whilst setting a good example

MW: Dr. Aichberger, I thank you very much for your time.



THE TRODAT

ADDED VALUE PRINCIPLE



The great desire to do things better is the driving force behind our constant search for innovations. Helping our partners to become market leaders is the objective of every division of the Trodat Group. Original Trodat products simply give our customer more.

AND: MORE REASONS TO BE HAPPY!

This is because the new Trodat added value system rewards loyalty and makes Trodat partners more attractive for stamp purchasers. Each of the individual system modules already enjoys a significant market position in their own right. However, their unique added value only truly reveals itself in their combined use. The Trodat added value system is more than the sum of its parts.



- 1. SUPERIOR STAMP COMPONENTS Trodat Professional, Printy, Mobile Printy
- 2.) BEST PRODUCTION EQUIPMENT Trotec Speedy laser engraving equipment, Rayjet
- (3.) LATEST MARKETING METHODS uTypia Web-Shop Software
- MULTI-COLOUR IMPRESSIONS Multi Color Impression

Combining these products and services generates unique Trodat customer benefits. Enthusiastic customers are the best basis for sales success. This makes the stamp business fun.



TRODAT STAMP PRODUCTS CLEARLY SUPERIOR

Modern design, exceptional functionality and the best materials make each Trodat stamp an original. The **Trodat Professional** – climate-neutral. As standard; the office stamp for frequent and precise application. The new **Trodat Printy 4.0** – climate-neutral. As standard; smaller, simpler and constructed from a high percentage of recycled plastic. And the **Trodat Mobile Printy** – the cleanest pocket stamp there has ever been, with its ingenious single-handed operation. At the same time, you as a specialist stamp dealer, are able to meet your customers' exact wishes in terms of individuality and differentiation. This is because the **Multi Color Impression** allows you to make each Trodat stamp an exclusive, personalised colour stamp.

Go to page 12 and visit www.trodat.net to find out more about Original Trodat stamps.



TROTEC LASER CUTTING-EDGE STAMP TECHNOLOGY

Trodat GmbH's subsidiary company Trotec GmbH is a leading global manufacturer of laser-engraving equipment for stamp manufacturers, engravers and sign makers. In recent years, the company has also made a name for itself in industrial applications. Trotec lasers are indispensible for engraving and cutting in an economic, high-quality stamp manufacturing process.

It was also Trotec which developed the production of Multi Color Impressions with laser technology and introduced it to the manufacturing process.

Go to page 52 and visit www.troteclaser.com to find out more about Trotec.



3.

uTypia WEB SHOPS ESSENTIAL DISTRIBUTION CHANNEL

The online shop has become one of the stamp industry's most essential distribution channels. Comprehensive functionality and integration possibilities make the Trodat internet solution – uTypia - the leading online stamp shop software.

Whether for consumers, corporate customers or resellers – uTypia offers the right solution for every customer segment. From sophisticated special functions for business customers to the extremely simple, intuitive ordering process for untrained end-users, uTypia software simplifies stamp ordering for everyone involved and brings you and your customers significantly more value.



For more information on uTypia, please see page 68.
Alternatively please visit www.uTypia.com or www.uTypiasoftware.com.



TRODAT MULTI COLOR MULTI-COLOUR HAS JUST GOT EASIER



Creating personalised multi-coloured impressions is now easier than ever. New to the range: the **Trotec Multi Color Jet**. From now on you can produce your own multi-coloured stamps **more cost-effectively and more quickly**. The Multi Color Jet is an individual machine which inks the ink cartridges, while the laser engraves the textplates. The Multi Color Jet always gives you a choice of 15 Multi Color inks. Your Multi Color Jet and your

Trotec Laser are both connected to the same computer.

Go to page 8 and visit **www.multicolor.trodat.net** to find out more about Trodat Multi Color.





TRODAT MULTI COLOR IMPRESSION

The new technology for individual colour stamps, Multi Color Impression inks

08-11

12-19

22-35

STAMPS FOR THE OFFICE



TRODAT PROFESSIONAL

Text stamps, date stamps + (stock) text, daters, numberers and dial-a-phrase stamps

TRODAT PROFESSIONAL TYPOMATIC 20-21

Do-it-yourself text stamps, date stamps + do-it-yourself text

STAMPS FOR AT HOME AND ON THE MOVE



ORIGINAL TRODAT PRINTY Text stamps, date stamps + (stock) text

ORIGINAL TRODAT PRINTY TYPOMATIC 35-39 Do-it-yourself text stamps, date stamps + do-it-yourself text

ORIGINAL TRODAT OFFICE PRINTY 39 Stamp with stock text

TRODAT MOBILE PRINTY 40-41 Pocket stamp TRODAT GOLDRING 42-43

Exclusive pen stamps TRODAT VIENNA POCKET STAMP 43 Pocket stamp

INK CARTRIDGES



TRODAT INK CARTRIDGES

Original ink cartridges for Trodat Professional, Printy and Mobile Printy

TRODAT PRE-INKED Ultimark, Royal Mark, UM Flash Machine

44-45

55-57

66-67

PRODUCTION MATERIALS AND MACHINES









TRODAT LASER RUBBER 47 TRODAT IDEAL PHOTOPOLYMER 48-50

TRODAT STAMP INKS 51

TROTEC LASER TECHNOLOGY 52-53

PRE-INKED, HANDSTAMPS, ACCESSORIES AND OTHER PRODUCTS











TRODAT CLASSIC 58-64 Date stamps, date stamps + text, numberers and dial-a-phrase stamps TRODAT STAMP ACCESSORIES Stamp pads, stamp racks 65 TRODAT SPECIAL STAMPS Clothing Marker, numbering machines 65

SALES SOLUTIONS



uTypia INTERNET SOLUTIONS

TRODAT IDEAL SEAL PRESSES

Pocket seals, desk seals, cast desk seals, Delrin plates

68-69

TABLE SUMMARY



TRODAT PRODUCTS OVERVIEW

All products and information

LEGAL INFORMATION

76

70-76



TRODAT INDIVIDUAL COLOUR STAMPS



Trodat offers the first stamp to create a good impression immediately with its multiple colours. Personalised Trodat colour stamps are the stars of the stamp world. The impression becomes the calling card of the modern business. Trodat Multi Color Impression is patented and globally unique. Manufactured using laser technology, the ink cartridge and textplate may be reproduced at any time. Exclusively from Trodat.

The new stamp impressions are colourful. Because life is colourful.

THE BENEFITS OF MULTI COLOR IMPRESSION AT A GLANCE

- Differentiation. Meet your customer demands for differentiation and individuality. Select your own colour fields for the impression.
- Trade Symbol. Offer your customers unique impressions with colourful symbols and company logos which emphasise their corporate identity.
- Process security and repeat orders. The patented Multi Color manufacturing process guarentees the exact colour and shape throughout the production process and for repeat orders, and that of the replacement ink cartridge.
- Top quality impression. Your multi-colour impression at the usual perfect level of Trodat quality.
- Variety of colour. Include any of the 15 available colours for your impression design.

the best impression.





ISPA Award 2005 for special innovations





MULTI COLOR IMPRESSION

MULTI COLOR IMPRESSION – THE WAY IT WORKS

Tried and tested technology:

The Trotec Laser Speedy 100, Speedy 300 or Rayjet series form the technological basis for the production of Trodat Multi Color stamps. Special, un-inked ink cartridges - matching precisely the impression design – are cut by laser to match each of the individual colour fields.

Now new and simplified:

The Multi Color ink cartridge is now inked using the new Trotec Multi Color Jet. Revolutionary: You no longer need to re-tool! All 15 colours are already installed in the Multi Color Jet.

So, while your laser is in the process of engraving the textplates, the Multi Color Jet is already busy inking the ink cartridges. This allows you to produce more of the unique Multi Color stamps quicker and in a more cost effective manner.



One computer - many possibilities

The new Trotec Multi Color Jet is operated using the same PC as you already use to control your Trotec laser.



TAILORMADE

Individual colour and design requirements are a Multi Color Impression specialty. The text and logo fields can be arranged as required. The resulting fields in the ink cartridge are then inked automatically with the selected colours.

PRECISION

The laser cuts the ink cartridge with precision and seals the colour fields at the same time. This prevents the contamination of each of the individual colour fields.

— QUALITY

The Multi Color Jet inks each of the individual colour fields with the optimum amount of ink. The result is a set of clean impressions to the usual Trodat level of quality.



*Replacement dispenser must be ordered separately

MULTI COLOR SPECTRUM

FOR YOUR INFORMATION



A minimum distance of 1.5mm between colour fields and a minimum colour field size of 7mm x 7mm are required.

Overlapping colours and colour blends are NOT possible

MULTI COLOR COMPATIBLE

The majority of models in the Trodat Professional, Trodat Printy and Trodat Mobile Printy ranges are compatible with Multi Color Impression. You will find appropriate instructions with every product.



COMPANY LOGOS / CORPORATE DESIGNS



Werner Mitterhammer Schadensgutachter, Abt. 5/45 Petroniasstr. 7, 80333 München Tel.: 089 123 - 545, Fax-Dw.: 444 5203 INTERTRANS
A.W.L. LOGISTICS
US 01 NOV 2017

PAYMENT RECEIVED
PREPARED TO SUPPLY
FRANKFURT+HAMBURG+NEW YORK+HONGKONG

5460


Dep. Lyon
Dep. L

INDUSTRY-SPECIFIC LOGOS / SYMBOLS



CREATIVE APPLICATIONS





TRODAT PROFESSIONAL

THE IDEAL OFFICE STAMP

The Professional offers climate-neutrality as standard and is the ideal stamp for daily office use. It guarantees clean, precise imprints. For years it has stood for reliability and professionalism. Accurate workmanship and high quality materials make it an enduring champion in the Trodat product range.



Vegetable Sale
23000 Liverpool
Kensington South 29023

CLIMATE-NEUTRAL. AS STANDARD.

The Trodat Professional is climate-neutral. As standard.

ERGONOMIC

The Professional offers the greatest user comfort. It lies perfectly in the hand thanks to its ergonomically shaped handle. The imprint occurs in a soft, round stamp motion.

RELIABLE

The Professional's sturdy steel core guarantees durability and stability. It's precisely right for the office's varied daily demands.

CLEAN

Dirty fingers while adjusting the date? Not with the Professional. The stable date band cover prevents finger contact with the stamp ink and keeps your fingers clean - every day.









TRODAT PROFESSIONAL TYPOMATIC

DO-IT-YOURSELF

Combines the advantages of the ideal office stamp with the opportunity to set your own stamp text and change it again at any time.



TRODAT PROFESSIONAL TEXT STAMPS












































TRODAT PROFESSIONAL DATE STAMPS + TEXT













Max. text plate size: 85mm x 55mm

Date size: 4mm



TRODAT PROFESSIONAL DATERS, DATE STAMPS + (STOCK) TEXT, DIAL-A-PHRASE DATERS AND NUMBERERS


























TRODAT PROFESSIONAL TYPOMATIC

DO-IT-YOURSELF TEXT + DATE STAMPS


















TRODAT PROFESSIONAL TYPOMATIC LETTER SETS



AT HOME AND ON THE MOVE



ORIGINAL TRODAT PRINTY 4.0 CLIMATE-NEUTRAL. AS STANDARD.

The Original Printy 4.0 doesn't just impress with its appealing design – it is also climate-neutral as standard. In comparison with the previous model, up to 49% CO₂ is saved during manufacture.

The residual, unavoidable CO₂ footprint is compensated by investment in Gold Standard climate protection projects recommended by the WWF® *ECO-black and ECO-grey. Lower percentage for other colours.



ORIGINAL TRODAT PRINTY DATE STAMPS

EVERYTHING IN THE FIELD OF GREEN

'Green' is standard with the majority of the Printy date stamps too. This is because it is manufactured with a high proportion of recycled plastic. Any unavoidable CO₂ is compensated for with investments in Gold Standard climate-protection projects recommended by the WWF®.



ORIGINAL TRODAT PRINTY 4.0 TYPOMATIC

FOR DO-IT-YOURSELF SETTING

Changing addresses, telephone numbers, etc. - no problem! The new Printy 4.0 offers a high degree of flexibility as a do-it-yourself-setting stamp too.



ORIGINAL TRODAT OFFICE PRINTY 4.0 WELL ORGANISED

As a stock-text stamp, the new exclusive - design Office Printy 4.0 organises any desk in no time with important notations.





TRODAT MOBILE PRINTY SIMPLE. STEADY. CLEAN.

The Mobile Printy, with unique single-hand operation, is the simplest, most stable, and cleanest pocket stamp ever. Its modern design underlines the innovative functionality and makes it a practical attractive accessory on the move. That's also

practical, attractive accessory on the move. That's also why the Trodat Mobile Printy was selected product of the year for the second time in 2009.



WE ASKED – YOU DECIDED

Numerous surveys of rubber stamp makers were carried out to identify 'What do you expect from the ideal stamp?' The valuable results have had a significant impact on the development of the Original Printy 4.0.

trodat

printy 4912

WHAT DO YOUR CUSTOMERS WANT TO BUY?

The Original Printy 4.0 is not just about impressing rubber stamp makers. It also needs to sell well. That's why we also asked users what, in their opinion, makes a good stamp. There were some interesting responses. And we incorporated these ideas when we developed the Original Trodat Printy 4.0.

OUR RESPONSES TO YOUR REQUESTS:

1. THE EASIEST POSSIBLE TEXT PLATE MOUNTING

This is guaranteed by the elevated position of the text plate holder and the alignment grid for securing the text plate.



2. EASILY REMOVABLE INDEX WINDOW

The large recessed grip ensures extra-easy opening. The symmetrical cover snaps into place perfectly – whichever edge is at the front or back.



3. UNBELIEVABLY SMALL AND LIGHT

The Original Printy 4.0 is one of the most compact self-inking stamps in the world.



4. EASY TO PERSONALISE

The large printable front side also comes with a white front plate. This provides endless options for logos and individual prints!





CUSTOMER REQUESTS:

1. CLEAN INK CARTRIDGE CHANGE

OUR RESPONSES TO

Special grips avoid the user touching the cartridge insert.

Note: All Trodat stamp colours guarantee impressions which will last for decades.



2. PRECISE POSITIONING

The crystal clear viewing window ensures that the impressions are precisely aligned. And the transparent edges of the base guarantee ultra-precise alignment!



3. UNBELIEVABLY SMALL AND LIGHT

The perfect stamp for on the go, fitting into even the smallest pocket. The innovative IMD technology minimises the chance of scratches and finger prints. For an attractive and sophisticated look which stands the test of time.




4. CLIMATE-NEUTRAL. AS STANDARD.

The Original Printy 4.0 is not just unbelievably small and light, but also consists of up to 65%* post-consumer recycled plastic. This helps to save valuable resources and up to 49%* CO₂. And investment in climate protection projects recommended by the WWF® compensates for the inevitable CO₂ footprint.

* ECO-black and ECO-grey. Lower percentage for other colours. For more information, see www.printy.trodat.net



The Original Printy 4.0 stands for: saving time, space and money. With each individual item. And since it adapts perfectly to the requirements of the customer, this Printy is also a real money-spinner!





AT HOME AND ON THE MOVE

ORIGINAL TRODAT PRINTY TEXT STAMPS
















ECO-grey, apple green,

sky blue, fuchsia pink, arctic white

sky blue, dark grey





























4916, 4917





Max. text plate size: 70mm x 10mm (4916)



Max. text plate size: 50mm x 10mm (4917)



4941





Max. text plate size: 41mm x 24mm










Max. text plate size: 12mm x 12mm > with protective cap



Max. text plate size: 20mm x 20mm > with protective cap





1-colour

6/4923

Ink cartridge

4923, 4924





Max. text plate size > 4924 ontional with

protective cap





ORIGINAL TRODAT PRINTY DATE STAMPS + TEXT











PACKED 17 NOV 2020 **Edward East**






ORIGINAL TRODAT PRINTY DATE STAMPS + (STOCK) TEXT. DATERS. NUMBERERS AND DIAL-A-PHRASE STAMPS















46119 Max. text plate size: Ø 19mm

Date size: 2.8mm

> with protective cap



46125 Max. text plate size: Ø 25mm Date size: 2.8mm

> with protective cap



Ink cartridge

Ink cartridge


1-colour 6/43032

1-colour 6/46019

6/46025

46130, 46140, 46145


















17 NOV 2020

4810 Mini-Dater - Date size: 3.8mm




4813





SERVICE 17 NOV 2020

Max. text plate size: 26mm x 9mm Date size: 3.8mm



4817





CHECKED 28 NOV 2020

Character size: 3.8mm

- > Other texts:
- 1. ANSWERED RECEIVED
- 3. ENTERED 4. Backordered
- 6. PAID
- 7. CANCELLED 9. CHECKED

5. CHARGED

9. SHIPPED 10. BILLED 11. DELIVERED 12. FAXED



● ● ● ● ●

1-colour 6/4817

Ink cartridge

Ink cartridge

4822





ORIGINAL

Character size: 4mm

- > Other texts:
- 1. CANCELLED 2. ORIGINAL 3. FIRST CLASS

4. FAXED

- 5. AIR MAIL 6. APPROVED
- 7. COPY 9. CONFIRMATION
- 9. DRAFT 10. CONFIDENTIAL 11. PLEASE!

> Additional



1-colour **6/4911**

4836, 4846, 48313





123456


4836 - Character size: 3.8mm

1 2 3 4 5 6

4846 - Character size: 4mm

1234567890123

48313 - Character size: 3.8mm











FINISHED

17 NOV 2020

4850 - Max. text plate size: 25mm x 5mm Date size: 3.8mm Text plate thickness: 2.3mm

RECEIVED 4850/L - Max. text plate size: 25mm x 5mm

10 NOV 2020

Date size: 3.8mm > Also available: L1: RECEIVED

L7: POSTED L9: FAXED







ORIGINAL TRODAT PRINTY TYPOMATIC

DO-IT-YOURSELF TEXT + DATE STAMPS



ROBERT NORMAN EXPORT MANAGER ŵ VIENNA-AUSTRIA

1 letter set 6003 (character size 3mm) Max. text plate size: 38mm x 14mm







EXPORT MANAGER ŵA-4600 WELS AUSTRIA **S** 0 7 2 4 2 / 2 3 9 - 0

For up to 4 lines of text. 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max, text plate size: 47mm x 18mm



AT HOME AND ON THE MOVE

4913 TYPO



ROBERT NORMAN EXPORT MANAGER LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA S 0 7 2 4 2 / 2 3 9 - 0

For up to 5 lines of text. 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size: 58mm x 22mm



4916 TYPO



ROBERT NORMAN-EXPORT MANAGER ROBERT.NORMAN@TRODAT.NET

For up to 2 lines of text. 1 letter set 6003 (character size 3mm) Max. text plate size: 70mm x 10mm




4929 TYPO



ROBERT NORMAN TRODAT GMBH LINZER STRASSE 156 A-4600 WELS/AUSTRIA **2** 0 0 4 3 / 7 2 4 2 / 2 3 9 - 0

& 0 0 4 3 / 6 6 7 / 8 9 9 5 0 7 9

For up to 6 lines of text, 1 letter set 6003 (character size 3mm). 1 letter set 6004 (character size 4mm) Max. text plate size: 50mm x 30mm



4928 TYPO



ROBERT NORMAN EXPORT MANAGER LINZER STRASSE 156

ŵ A-4600 WELS AUSTRIA +43 0 7242/239-0 ROBERT.NORMAN@TRODAT.NET WWW. TRODAT.NET

For up to 7 lines of text, 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size: 60mm x 33mm



SETTING THE TYPE

> The type must be set from right to left in (mirrored position)








4927 TYPO



TRODAT GMBH ROBERT NORMAN EXPORT MANAGER LINZER STRASSE 156 ŵ A-4600 WELS AUSTRIA ***** +43 0 7242/239-0 ROBERT.NORMAN@TRODAT.NET WWW. TRODAT.NET

For up to 8 lines of text. 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size: 60mm x 40mm



Ink cartridge

1-colour 6/4926

4926 TYPO



ROBERT NORMAN - EXPORT MANAGER TRODAT PRODUKTIONS GMBH LINZER STRASSE 156 A-4600 WELS/AUSTRIA 20043/7242/239-0 **≥** DW916 **8** 0 0 4 3 / 6 6 7 / 8 9 9 5 0 7 9 ROBERT, NORMAN@TRODAT.NET WWW. TRODAT. NET

For up to 8 lines of text, 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size: 75mm x 38mm



4925 TYPO



ROBERT NORMAN - EXPORT MANAGER TRODAT PRODUKTIONS GMBH LINZER STRASSE 156 ≈ 07242/239-0 🖶 DW 916 ROBERT, NORMAN@TRODAT.NET

For up to 5 lines of text. 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size: 82mm x 25mm




4931 TYP0



ROBERT NORMAN - EXPORT MANAGER LINZER STRASSE 156 A-4600 WELS/AUSTRIA 20043/7242/239-0 **8** 0 0 4 3 / 6 6 7 / 8 9 9 5 0 7 9 ROBERT.NORMAN@TRODAT.NET

For up to 6 lines of text. 1 letter set 6003 (character size 3mm). 1 letter set 6004 (character size 4mm) Max. text plate size: 70mm x 30mm










1 letter set 6003 (character size 3mm). Max, text plate size: Ø 30mm





46040 TYPO





Max. text plate size: Ø 40mm





46045 TYPO







1 letter set 6003 (character size 3mm). Max. text plate size: Ø 45mm



Ink cartridge

4755 TYPO




LICENCE EXP.

* 1 7 NOV 2020

C.M.O. Nº F 62/89

Date size: 4mm. For up to 2 lines of text. 1 letter set 6004 (character size 4mm) Max. text plate size: 41mm x 24mm



4729 TYPO



ROBERT NORMAN TRODAT GMBH.

1 7 NOV 2020

LINZER STRASSE 156 A-4600 WELS/AUSTRIA Date size: 4mm, For up to 6 lines of text, 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm) Max. text plate size:



4727 TYP0





1 7 NOV 2020

+43 0 7242/239-0 ROBERT.NORMAN@TRODAT.NET WWW.TRODAT.NET


Date size: 4mm, For up to 6 lines of text, 1 letter set 6003 (character size 3mm), 1 letter set 6004 (character size 4mm)



Ink cartridge

ORIGINAL TRODAT PRINTY TYPOMATIC LETTER SETS

Max. text plate size: 60mm x 40mm




ORIGINAL TRODAT OFFICE PRINTY



4912 OFFICE PRINTY

- > 2-colour impressions with pictogram and the most popular standard stock texts
- > Manufactured from up to 65% recycled plastic





Ink cartridge





<u>OK</u>



































9411, 9412 apple fuchsia poppy pink orange lemon sky anthracite yellow blue grey flame red Galeria de Arte José Ballester Varius Multi Color Impression Ink cartridge Caleria de Arte José Ballester Varius Avenida Boavista 45 • SALVADOR 41503-437 Telefone: +71 3396 10 89 Max. text plate size: 47mm x 18mm

TRODAT MOBILE PRINTY TEXT STAMPS









REPLACEMENT OF INK CARTRDIGE

Open the Mobile Printy, press on the side and pull out the ink cartridge. Insert new ink cartridge. Done.



AFFIX THE TEXT PLATE


Hold firmly as shown or block with a paperclip. Remove protective foil and attach text plate.














TRODAT GOLDRING EXCLUSIVE STAMP PENS









VIENNA POCKET STAMP



are also suitable for all other old Printy models.

TRODAT INK CARTRIDGES

Trodat ink cartridges for Professional, Printy and Mobile Printy are truly high-tech products. Both the pad material and the colour have continued to be perfected through years of research. That is why a Trodat impression functions just as well at a polar ice cap as in a tropical rain forest. Even, consistent colour application with every impression.

FOR TROD	AT PROFE	SSIONAL			
Chaman	INK CAR	TRIDGE			
Stamp	NEW	OLD	1-colour	2-colour	MCI
5200	6/50	6/4430	• • • • •	_	V
5203	6/53	6/4610	• • • • •	-	V
5204	6/56	6/4420	• • • •	_	V
5205	6/55		• • • •	-	V
5206	6/56	6/4420	• • • • •	-	V
5207	6/57			-	V
5208	6/58	6/4208		-	V
5211	6/511	-		-	~
5215	6/15	-	● ● ● ● ● red/blue (Ø 30mm)	0	~
52040	6/15/2R 6/52040	-	• • • • • •		~
32040	6/52040/2R	_		•	•
5030	6/50	6/4430			
5415	6/15	-		_	V
3.23	6/15/2	_			
5430	6/50	6/4430		-	
	6/50/2	_			
5430/L	6/50	6/4430	• • • •	-	V
	6/50/2	-			
5431	6/50	6/4430	• • • • •	_	V
	6/50/2	-			
5440	6/53	6/4610	• • • • •		
	6/53/2	-			
5440/L	6/53	6/4610			V
	6/53/2	-	2 2 2 2 2		
5460	6/56	6/4420		_	
5460/L	6/56/2 6/56	6/4420		_	
3400/ L	6/56/2	0/4420			
5470	6/57	_		_	V
	6/57/2	_			·
5480	6/58	6/4208	• • • • •	_	V
	6/58/2	-			
54110	6/511	-		-	V
	6/511/2	-			
54140	6/52040	-	• • • • •	_	
	6/52040/2			•	
5117	6/56	6/4420		-	
5546	6/50	6/4430		-	
5558	6/56	6/4420		_	
5558/PL 55510	6/56 6/56	6/4420 6/4420		-	V
55510/PL	6/56	6/4420			~
5253	6/53	6/4610		_	•
5435	6/50	6/4430		_	
	6/50/2	-			
5465	6/56	6/4420	• • • •	_	
	6/56/2	-			
5466/PL	6/56	6/4420		-	V
5485	6/58	-	• • • •	_	
	6/58/2	-		-	
54510	6/511	-		_	

6/511/2

8	FOR TRODAT	METAL SE	LF-INKING	STAMPS (old r	nodels)
Ш		INIK CAI	RTRIDGE		
	Stamp	NEW	OLD	1-colour	2-colour
	4000				2-0010u1
	4200	6/50	6/4430		-
	4203	6/53	6/4610		-
	4204	0./50	6/4204		-
	4206	6/56	6/4420		-
	4207	0./50	6/4207		-
	4208	6/58	6/4208		-
	4420	6/56	6/4420		_
	4400	6/4420/2	-	2222	-
	4430	6/50	6/4430		
		6/4430/2	-	2 2 2 2 2	
	4430/L	6/50	6/4430		-
	4431	6/50	6/4430		_
			6/4430/2		
	4440	6/53	6/4610		_
		6/4610/2	-		
	4460	6/56	6/4420		
			6/4420/2		
	4470	6/4207	6/4207		
		6/4207/2	-		
	4480	6/58	6/4208		-
		6/4208/2	-		
	4022	6/50	6/4430		-
	4030	6/50	6/4430		-
	4031	6/50	6/4430		-
	4034	6/50	6/4430		-
	4117	6/4204	6/4204		-
	4546	6/50	6/4430		-
	4548	6/50	6/4430		-
	4558	6/53	6/4610		-
	4558/PL	6/53	6/4610		-
	45510	6/4204	6/4204		-
	45510/PL	6/4204	6/4204		-
	4610	6/53	6/4610		-

FOR TROD	AT NUMBI	RING MACH	INES
Stamp	INK CARTRIDGE	1-colour	2-colour
5746 P/M	6/5756	(a)	-
5756 P/M	6/5756	 	-



	FOR TROD	AT PRINTY	,		
2	Stamp	INK CARTRIDGE			MOL
		071111111111111111111111111111111111111	1-colour	2-colour	MCI
	4908	6/4908	• • • •	-	
=	4910	6/4910		-	
-	4911 (typo)	6/4911		-	~
_		6/4911 (C)	Textile Clothing	Marker	
	4912 (typo)	6/4912	• • • •	-	~
	Office Printy	6/4912/2			
	4913 (typo)	6/4913		-	~
	4915	6/4915		-	~
	4916 (typo)	6/4916		-	
	4917	6/4817		-	
	4918	6/4918		-	~
	4921/492150	6/4921		-	
	4922	6/4922		-	
	4923/4930	6/4923		-	
			• • • • •		
	4924/4940	6/4924			
	4925 (typo)	6/4925	• • • • •	-	~
	4926 (typo)	6/4926	• • • •	-	V
	4927 (typo)	6/4927	• • • • •	-	~
	4928 (typo)	6/4928	• • • •	-	V
	4929 (typo)	6/4929	• • • •	-	~
	4931 (typo)	6/4931	• • • •	-	V
	4941 (4760)	6/4750		_	
	44045	6/44045		-	V
	44055	6/44055	• • • •	_	~
	46019	6/46019		_	
	44025	6/46025	• • • •	_	
	46030	6/46030	(a)	-	V
	46040 (typo)	6/46040	• • • •	_	~
		6/46040/2R			
	46045	6/46045		_	V
	46050	6/46050	• • • • •	_	
	4724	6/4924	(a)	_	V
		6/4924/2			
	4726	6/4926	• • • • •	_	V
		6/4926/2			
	4727 (typo)	6/4927			V
	(31.3)	6/4927/2			
	4729 (typo)	6/4929	• • • •	-	V
	(3,717)	6/4929/2			•
	4731	6/4931		_	V
		6/4931/2			•
	4740	6/4924	• • • • •		
	4750/4750L	6/4750		_	
		6/4750/2			
	43132	6/43032		_	
		6/43032/2			
	46119	6/46019		_	
	46125	6/46025		_	
	46130	6/46030		_	V
		6/46030/2			
	46140 (U/L)	6/46040	• • • •	_	V
		6/46040/2			
		5, .50 10, 2			







- > clean impression, document quality
- > precise inking prevents colours running
- > no drying out
- > all colours are completely non-toxic
- > clean change of ink cartridge in no time at all

FOR TROD	AT PRINTY	,		
Stamp	INK CARTRIDGE	1-colour	2-colour	MCI
46145	6/46045	• • • •	_	V
	6/46045/2			
4800	6/4911		-	
4810	6/4910		-	
4813	6/4817	• • • •	-	
4817/4812	6/4817	• • • • •	-	
4820	6/4911		-	
4822	6/4911		-	
4836	6/4910		-	
48313	6/4817	• • • • •	_	
4846	6/4911	• • • •	-	
4850/4850L	6/4850	• • • • •	-	
	6/4850/2			
4951	6/4911	• • • •	-	
4952	6/4912	• • • •	-	
4953	6/4913		-	
4957	6/4927		-	
4958	6/4928		-	
4755	6/4750		-	
	6/4750/2			
4757	6/4927		-	
	6/4927/2		_	
496201-04	6/4912	• • • •	_	



FOR TROD	AT PRINT	(old models)	
Stamp	INK CARTRIDGE	1-colour	2-colour
4700	6/4710	• • • •	_
4722	6/4710	• • • •	_
4746	6/4710	• • • •	_



FOR TRODAT MOBILE PRINTY									
Stamp	INK CARTRIDGE	1-colour	2-colour	MCI					
9411 (typo)	6/9411	• • • •	-	~					
9412 (typo)	6/9412	• • • •	-	~					
9413	6/9413		-	~					
9425	6/9425		-	~					
9430	6/9430	• • • • •	-	~					
9440 (typo)	6/9440	• • • •	-	~					



PRODUCTION


TRODAT LASER RUBBER

TRODAT PRODUCTION MATERIALS AND MACHINES

TRODAT LASER RUBBER

Trodat laser rubber offers the right text plate material for a variety of purposes. For odourless engraving, for high production engraving or for special applications such as stamping or oil-based inks.

Choose from our extensive range of text plate materials. Take advantage of the Trodat range, developed for the most varied stamp application.



TRODAT IDEAL PHOTOPOLYMER

This will exceed your expectations for flexographic applications. Trodat IDEAL photopolymer is designed for precise reproduction of even the most detailed text plates with optimum exposure time.





TRODAT STAMP INKS

Trodat stamp inks have been developed to fulfil all the most extreme demands, bringing you optimum durability in hot or cold climates or in moist or dry air. Maximum outline sharpness. Rich colour impressions. Indelible ink.



TROTEC LASER TECHNOLOGY

Trodat GmbH's subsidiary company Trotec GmbH is a leading global manufacturer of laser-engraving equipment for stamp manufacturers, engravers and sign makers.

Trotec lasers are indispensible for engraving and cutting in an economic, high-quality stamp manufacturing process.






No odour while engraving

- Up to 62% faster than other odourless laser rubbers
- As fast as standard laser rubber
- · Very easy to clean

Sizes: A4/2.3mm Colour: light grey - 850208 A3/2.3mm Colour: light grey - 850208



AERO SOFT

AERO




Odourless laser rubber

- No odour while engraving
- As fast as standard laser rubber
- · Very easy to clean

Sizes: A4/2.3mm Colour: blue - 850209

Colour: blue - 850209




TEMP0



Speed laser rubber

• Up to 21% faster than standard laser rubber

Colour: orange - 850206 Colour: orange - 850206




EC0



Ecological laser rubber from natural rubber

Colour: green - 850202 Size: A4/2.3mm



CLASSICO



Reliable standard laser rubber

Size: A4/2.3mm or A4/1.5mm (for Goldring)

Colour: grey - 850205




OLIO



Oil-resistant laser rubber

• No expansion with oil-based inks

Size: A4/2.3mm Colour: black - 850203



MICRO



Laser engravable micropore foam for pre-inked stamps

Size: A4/6mm Colour: black - P800



RAW LASER RUBBER



Raw Laser Rubber

ø 2,3mm blue, grey ø 2,6mm blue, grey, pink

 5kg per roll · water-based ink 5kg

Packaging

TRODAT IDEAL PHOTOPOLYMER

Trodat IDEAL photopolymer provides the perfect surface for use with water-based inks as used for stamps or other flexographic applications. Excellent elasticity and resilience are two of the strengths of this photopolymer.

IDEAL i50 RED - PHOTOPOLYMER



The newly developed photopolymer generation IDEAL i50R Red is part of the perfectly balanced TRODAT IDEAL photopolymer programme. The polymer's colour makes your textplate more legible and stands out because of its excellent impression. Ideal for the production of text plates with more



IDEAL i50 - PHOTOPOLYMER



Ideal for the production of text plates with more detailed characters.



IDEAL i40 - PHOTOPOLYMER



Ideal for the production of text plates with larger characters.



PHOTOPOLYMER IN A BAG

IDEAL INSTAPLATE



Photopolymer in a bag, 40 SHA

Content: A4 - 10 pcs.

A5 – 20 pcs.

A6 – 40 pcs.

A7 - 30 pcs. **A8** - 40 pcs.


Packaging

TRODAT IDEAL PHOTOPOLYMER ACCESSORIES

IDEAL VELLUM A4



Trodat IDEAL VELLUM is perfect for toner uptake with laser printers and copiers. It is very transparent, demonstrates virtually no visible fibres and is therefore suitable for producing perfect negatives. Safely avoids the use of hazardous chemicals.




IDEAL DAYLIGHT AQ™ NEGATIVE SYSTEM



AQ-912 NEGATIVE

Trodat IDEAL AQ negative film for direct exposure in photopolymer machines.



AQ-ACTIVATOR IDEAL 1L BOTTLE

Water-based liquid activator for cleaning exposed DAYLIGHT AQ film.





AQ-ACTIVATOR WASH OUT PLATE

For the protection and stability of DAYLIGHT AQ film during cleaning, rinsing and drying processes.



For use with the AQ-ACTIVATOR 1L bottle; can be used repeatedly.

AO-EXPOSURE FOAM

For the protection of DAYLIGHT AQ-NEGATIVE film during exposure in photopolymer machines.


NEGATIVE PRINT SOLUTION



NEGATIVE FILM FOR INKJET PRINTERS

Negative film for printing

NEGATIVE FILM FOR LASER PRINTERS









Intensifying color spray for laser printing. (Recommendation: 1 spray can for 50 sheets of laser printer film)



IDEAL COVER FILM CF



Trodat IDEAL CF cover film ensures the separation of photopolymer equipment and the liquid photopolymer and provides an easy draw off from exposed liquid polymer.

Packaging




Available roll sizes: 27cm x 122m 30cm x 122m 38cm x 122m 41cm x 122m

IDEAL DAMMING TAPE DT



This tape provides a dam to keep the poured photopolymer in place over the cover film and negative.

It helps to ensure even and consistent total text plate height. This disposable foam tape is easy and economical to use.



IDEAL "C" SERIES SUBSTRATE



Trodat IDEAL Substrate backing sheets have been developed to provide unprecedented adhesion to the photopolymer.

The substrate also has excellent light diffusion which results in smoother, more consistent backgrounds.

Available sizes:

22.5cm x 30.5cm 26cm x 26cm 27cm x 35.6cm 30.5cm x 36.9cm 30.5cm x 49cm 36.6cm x 53cm



IDEAL ILW - LIQUID WASHOUT CONCENTRATE





Trodat IDEAL iLW is a cost-efficient liquid washout concentrate that effectively removes the uncured polymer during the washout stage.

iLW provides excellent results and washout life whether it is used in automatic tank washout systems or hand-washing. This is an important step to producing tack-free plates.

Packaging

Available in 1kg or 9kg containers



IDEAL iBOOSTER



Trodat IDEAL iBooster is a washout additive that extends washout life in all water conditions. This is highly recommended for use when hard water conditions exist.

The iBooster is used in addition to the iLW washout additive.

Packaging

Available in 7.25kg container



IDEAL iDFOAM



Trodat IDEAL iDFoam is a de-foamer that is added to the washout solution to eliminate foaming in spray washout equipment.

Packaging

Available in 7.25kg container



IDEAL IPXC – POST-EXPOSURE ADDITIVE



Trodat IDEAL iPXC is a patented post-exposure additive to prevent possible stickiness on the photopolymer plate.

The product consists of liquid and powder components.

Packaging

Master carton 4kg



TRODAT STAMP INKS


STAMP PAD INKS

7011 - water based, 28ml

> Stamp pad ink to re-ink your stamp pad.







7021 - quick drying, 25ml


Available in the following colours: black, blue, red, violet, green and white

Packaging

MULTI COLOR JET TANKS

> Multi Color ink tanks for use with the Trotec Multi Color Jet.







MULTI COLOR JET DISPENSER

> Multi Color Jet Dispenser for use with the Trotec Multi Color Jet.







MULTI COLOR IMPRESSION INKS

> Multi Color Stamp pad ink to ensure the best quality for use with Trotec laser equipment.



7012 - available as: 0.5I / 1I / 5I / 20I bottles. Available in: MULTI COLOR SPECTRUM



Packaging

TROTEC LASER



Trotec is the leading international provider of advanced laser equipment for a range of applications, from laser cutting and engraving to industrial marking. The company's extensive line of quality laser engravers, cutters and markers, coupled with its unmatched service and support offerings, have made Trotec one of the industry's leading resources for computer controlled laser engraving equipment and marking systems.

RAYJET

Engraving has never been this easy

- > Easy to operate and install
- > Easy to use and maintain
- > Easy to afford
- > Easy to generate business

www.rayjetlaser.com



THE FLEXX CONCEPT

Maxximum flexxibility

- > One machine endless possible laser applications
- > CO₂ and fiber laser in one machine
- > Use both laser sources on one material
- > Available for Speedy 300 and Speedy 400 platform



MULTI COLOR JET

Making multi color easier

- > Automated production of multi color stamps
- > 15 Multi color inks permanently available for production
- > More productivity due to stand-alone solution (laser and inking station)
- > Available with Rayjet, Speedy 100, Speedy 300 and Speedy 400



WHY LASER?



Stamp production with laser technology – always an advantage!

One stamp per day finances the investment costs of a Trotec laser (lease financing over 48 months)

WHY TROTEC?

- > Complete solutions: Take advantage of the perfect combination between laser system, exhaust unit and laser rubber
- > Multi Color Impression: Generate more business and profit with multi color imprints
- > Simple operation: Our innovative JobControl® software is simple to use and gives you full control over all laser functions. Or use Trotec's easy-to-use JobCreator typesetting software.
- > Robust and durable: Trotec laser systems are designed for intensive use over many years. Reliability and high quality engraving results over many years are guaranteed.
- > Local presence: Trotec lasers are developed and produced in Austria, sold and supported in over 90 countries all over the globe.



You can find further information at: www.troteclaser.com

OTHER PRODUCTS

ULTIMARK FLASH STAMPS

THE EASY WAY TO STAMP

It's that simple with ULTIMARK pre-inked stamps. You don't need a separate stamp pad because the ink is in the stamp. You'll get clean, crisp impressions every time you use your ULTIMARK pre-inked stamp. After thousands of impressions, just re-ink your stamp for thousands more.



ROYAL MARK PRE-INKED STAMPS WITH LASER TECHNOLOGY

CLEAR IMPRESSIONS MADE EASY

It's that simple with ROYAL MARK pre-inked stamps. You don't need a separate stamp pad because the ink is in the stamp. You'll get clean, crisp impressions every time you use your ROYAL MARK pre-inked stamp. After thousands of impressions, just re-ink your stamp for thousands more. ROYAL MARK pre-inked stamps are easy, comfortable and convenient to use!



TRODAT CLASSIC STAMPS SIMPLE AND TRADITIONAL

Products from the Classic Line series are stamps that can truly be described as evergreen.

Classic products are used with a separate stamp pad.



TRODAT IDEAL SEAL PRESSES

Trodat IDEAL seal presses have a unique quality, are easy to handle and are extremely durable. Models M, No.0 and No.1 are also especially impressive in their design. This is what makes them popular with lawyers, notaries, companies, engineers and government offices all over the world.


- > Pocket seals (PS)
- > Desk seals (DS)
- > Cast desk seals (CDS)







ULTIMARK



ULTIMARK FLASH MACHINE

ULTIMARK® UM-1200



The UM-1200 ULTIMARK flash machine is safe and easy to operate and produces perfect stamps using the latest micro-processor controlled technology. The exposure surface is 114mm x 127mm and therefore allows the simultaneous production of a variety of small stamps or even the largest ULTIMARK flash stamp.

ULTIMARK MATERIALS

ULTIMARK® INK CARTRIDGES & TEXT PLATES

INK CARTRIDGE	Black	Blue	Un-inked	TEXTPLATES	
UM-02	V	V	V	UM-02	V
UM-04	V	V	✓	UM-04	~
UM-05	✓	~	✓	UM-05	~
UM-06	V	V	✓	UM-06	~
UM-08	✓	✓	✓	UM-08	~
UM-10	V	V	V	UM-10	V
UM-12	V	V	✓	UM-12	~
UM-14	V	V	✓	UM-14	~
UM-16	✓	V	✓	UM-16	~
UM-17	V	V	✓	UM-17	V
UM-20	✓	~	✓	UM-20	~
UM-23	V	V	✓	UM-23	~
UM-24	V	V	✓	UM-24	~
UM-25	V	V	✓	UM-25	~
UM-26	V	V	✓	UM-26	~
UM-28	V	V	✓	UM-28	~
UM-30	V	V	✓	UM-30	~
UM-32	V	V	✓	UM-32	~
UM-34	V	V	✓	UM-34	~
UM-35	V	V	✓	UM-35	~
UM-45	V	~	✓	UM-45	~
UM-T80	V	V	V		






ULTIMARK® RE-INKING FLUID

Colour	Contents				
black	14 ml	60 ml			
red	14 ml	60 ml			
blue	14 ml	60 ml			
green	14 ml	60 ml			
violet	14 ml	60 ml			


ULTIMARK®	FLASH INK
Colour	Content
black	0,95
red	0,95
blue	0,95
green	0,95
violet	0,95


Royal Mark®






TRODAT CLASSIC DATE STAMPS + TEXT

















TRODAT CLASSIC DATE + STOCK TEXT




TRODAT CLASSIC DIAL-A-PHRASE DATER




TRODAT CLASSIC TIME + DATE STAMPS







TRODAT CLASSIC DATE STAMPS





TRODAT CLASSIC BAND NUMBERERS

NUMBERERS Packaging 1 2 3 1 2 3 1 2 3 1 2 3 Character size: 3mm 1 2 3 1 2 3 1 2 3 1 2 3 Standard version: 4. 6. 8. 10 and 12 bands. You may customise vour numberer with letter bands (A-M and N-Z) and/or with special bands (letters, numbers or symbols as required) Character size: 4mm 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 Character size: 7mm Character size: 9mm



Character size: 12mm



.534 .554 .554 .574 .594 .5124 lodel .536 .546 .556 .576 .596 .5126	Size (mm) 3	1 0-9 N° € #	2 0-9 /	3 0-9 / - X	4 0-9 , , , , , , , , ,	5 0-9 1/4 1/2 3/4	6 0-9 Kg %	151: 151: Mode 151: 151:	el 56	15 18 Character size (mm) 15 18	1 0-9 N° St. Number 1 0-9 N° St.	2 0-9 3/4 - er of ba 2 0-9 /	3 0-9 1/4 1/2 nds 3 0-9	4 0-9 F / 4 0-9 F	5 0-9 3/4	6 0-9 1/4
.544 .554 .574 .594 .5124 lodel .536 .546 .556 .576 .596 .5126 lodel	4 5 7 9 12 Character size (mm) 3 4 5 7 9 12 Character size (mm)	N° € # \$ Numbe # \$ Numbe	/	Kg % / nds 3 0-9 / - X	, F ¢	0-9 1/4 1/2	0-9 Kg %	Mode 151:	el 56	Character size (mm)	Number 1 0-9 N°	3/4 - er of ba 2 0-9	1/4 1/2 nds 3 0-9	F /	0-9 3/4	0-9 1/4
.554 .574 .594 .5124 lodel .536 .546 .556 .576 .596 .5126 lodel	5 7 9 12 Character size (mm) 3 4 5 7 9 12 Character size imm	N° € # \$ Numbe # \$ Numbe	/	Kg % / nds 3 0-9 / - X	, F ¢	0-9 1/4 1/2	0-9 Kg %	Model	el 56	Character size (mm)	Number 1 0-9 N°	3/4 - er of ba 2 0-9	1/4 1/2 nds 3 0-9	F /	0-9 3/4	0-9 1/4
.574 .594 .5124 lodel .536 .546 .556 .576 .596 .5126 lodel	7 9 12 Character size (mm) 3 4 5 7 9 12 Character size (mm)	€ # \$ Numbe 1 0-9 N° € # \$ Numbe	or of ba	% / nds 3 0-9 / - X	4 0-9	0-9 1/4 1/2	0-9 Kg %	151	56	size (mm) 15	Number 1 0-9 N°	- er of ba 2 0-9	1/2 nds 3 0-9 X	4 0-9 F	0-9 3/4	0-9 1/4
.594 .5124 lodel .536 .546 .556 .576 .596 .5126 lodel	9 12 Character size (mm) 3 4 5 7 9 12 Character size (mm)	# \$ Numbe 1 0-9 N° € # \$	or of ba	nds 3 0-9 / - X	4 0-9 ,	0-9 1/4 1/2	0-9 Kg %	151	56	size (mm) 15	Numbe 1 0-9 N°	er of ba 2 0-9 /	nds 3 0-9 X	4 0-9 F	0-9 3/4	0-9 1/4
.5124 lodel .536 .546 .556 .576 .596 .5126 lodel	Character size (mm) 3 4 5 7 9 12 Character size (mm)	\$ Numbe 1 0-9 N° € # \$	or of ba 2 0-9 / er of ba	nds 3 0-9 / - X	4 0-9 , F	0-9 1/4 1/2	0-9 Kg %	151	56	size (mm) 15	1 0-9 N°	2 0-9 /	3 0-9 X	0-9 F	0-9 3/4	0-9 1/4
.536 .546 .556 .576 .596 .5126	Character size (mm) 3 4 5 7 9 12 Character size (mm)	Numbe 1 0-9 N° € # \$ Numbe	2 0-9 / -	3 0-9 / - X	0-9 , F	0-9 1/4 1/2	0-9 Kg %	151	56	size (mm) 15	1 0-9 N°	2 0-9 /	3 0-9 X	0-9 F	0-9 3/4	0-9 1/4
.536 .546 .556 .576 .596 .5126	Size (mm) 3	1 0-9 N° € # \$	2 0-9 / -	3 0-9 / - X	0-9 , F	0-9 1/4 1/2	0-9 Kg %	151	56	size (mm) 15	1 0-9 N°	2 0-9 /	3 0-9 X	0-9 F	0-9 3/4	0-9 1/4
.536 .546 .556 .576 .596 .5126	3 4 5 7 9 12 Character size (mm)	0-9 N° € # \$	0-9 / -	0-9 / - X	0-9 , F	0-9 1/4 1/2	0-9 Kg %			15	0-9 N°	0-9	0-9 X	0-9 F	0-9 3/4	0-9 1/4
.546 .556 .576 .596 .5126 lodel	4 5 7 9 12 Character size (mm)	Nº		/ - X	, F	1/4 1/2	Kg %				N°	1	X	F	3/4	1/4
.556 .576 .596 .5126 lodel .538	5 7 9 12 Character size (mm)	Nº		/ - X	, F	1/4 1/2	Kg %	1518	86	18	N°	1	X	F	3/4	1/4
.576 .596 .5126 lodel .538 .548	7 9 12 Character size (mm)	€ # \$	er of ba	- X	F	1/2	%				1					
.596 .5126 Model .538 .548	9 12 Character size (mm)	# \$ Numbe	er of ba	X		1	1 1				St		١,	· /		
.5126 Nodel .538 .548	12 Character size (mm)	\$ Number	er of ba		É	3/4	1						1 -	'	-	1/2
1odel .538 .548	Character size (mm)	Numbe		nds												
.538 .548	size (mm)			nds		_										
.538 .548		1						Mode	el	Character	Numbe	er of ba	inds			
.548	3		2 - 4	5	6	7	8			size (mm)	1	2-4	5	6	7	8
								151	.58	15					_	
.558	4	0-9	0-9	0-9	0-9	0-9	0-9	151	88	18	0-9	0-9	0-9	0-9	0-9	0-9
	5	N°	1	1	١,	1/4	Kg				N°	1	X	F	3/4	1/4
	7	€	-	-	F	1/2	%				St.		١,	1	-	1/2
.598	9	#	١.	X	É	3/4	1									
5128	12	\$														
		Numbe	er of ba	nds												
	Character	1-7	8	9	10]		Mode	el	Character	Numbe	er of ba	nds			
	size (mm)			-		1		454	F4 0	size (mm)	1	2-6	7	8	9	10
	3 4	0-9	0-9	0-9	0-9			1519 1518								
	5	/	,	1	1			1910	ото	10	0-9	0-9	0-9	0-9	0-9	0-9
	7	-	F	-	-						N°	/	X	F	3/4	1/4
	9	•	¢								St		,	/	-	1/2
.5510	9															
		Numbe	er of ba	nds			Model	Character		Number of ban	ds	Mod	del (Characte	er	Num
	Character size (mm)	1-9	10	11	12	1		size (mm)		1 - 14			5	size (mr	<u>m)</u>	1 -
	3	1-7	'0	' '	'2		15514	5		1-14		153	320 3	3		'
	4	0-9	0-9	0-9	0-9					0-9						0
	5	1		/	1					"						"
	7		F	<u>'</u>	<u>'</u>					'-						
	9	-	é	-	-					-						

TRODAT STAMP ACCESSORIES





TRODAT SPECIAL STAMPS





ROBERT NORMAN TEL.01226 949432

Max. text plate size: 38mm x 14mm Max 3 lines of text

- > For marking textiles.
- · non toxic
- easy to use
- washable & permanent up to 90°

Contents: 1 letter set 6004

60mm x 50mm

(288 characters, 1 pair of tweezers,



Packaging



AUTOMATIC NUMBERING MACHINES

Character size: 5.5mm and 4.5mm (metal wheels), 6 digits (Gothic, Roman...)

- 1. 5756/P (5.5mm) and 5746/P (4.5mm) plastic frame
- 2. 5756/M (5.5mm) and 5746/M (4.5mm) metal frame

Different actions:

- repeat (0) continuous (1)
- duplicate (2) repetition 3, 4, 5, 6 or 12 times.

123456







TRODAT IDEAL SEAL PRESSES

IDEAL POCKET SEAL MODEL NO.1



TRODAT IDEAL MODEL No.1 PS Pocket seal - black/chrome

This model has become a favourite because of its compact size and high leverage which gives you clean, crisp impressions on most paper stocks.



Packaging

Packaging

Laser Engraving (LS)

No.1 – Chrome LS: Ø 41mm No.1 – Black LS: Ø 41mm

No.1R - Chrome LS: 25mm x 51mm No.1R - Black LS: 25mm x 51mm

Please use Trodat Delrin for engraving the die plate!



No.1 – Chrome ME: Ø 41mm No.1 – Black ME: Ø 41mm

No.1R - Chrome ME: 25mm x 51mm

Please select the die plate you want for the mechanical engraving!

No.1R – Chrome ME: 25mm x 51mm

THE THE PERSON NAMED IN COLUMN TO PERSON NAM

IDEAL POCKET SEAL MODEL M



TRODAT IDEAL MODEL M PS Pocket seal - black/chrome

The larger size, heavy duty Model M offers greater leverage, longer paper insertion and more choices of interchangeable die holders.

The die holder for the desk seal Model M (DS) and pocket seal (PS) are interchangeable.



M1 – Chrome LS: Ø 41mm M1R – Chrome LS: 25mm x 51mm M2 – Chrome LS: Ø 51mm M1 – Black LS: Ø 41mm M1R – Black LS: 25mm x 51mm M2 – Black LS: Ø 51mm

Please use Trodat Delrin for engraving the die plate!

Mechanical Engraving (ME)

M1 – Chrome ME: Ø 41mm M1R – Chrome ME: 25mm x 51mm M2 – Chrome MF: Ø 51mm M1 – Black ME: Ø 41mm M1R – Black ME: 25mm x 51mm M2 – Black MF: Ø 51mm

Please select the die plate you want for the mechanical engraving!

Packaging



Mara Beth Stevens

1234 West End Drive

Chicago, IL 60611

IDEAL DESK SEAL MODEL M

TRODAT IDEAL MODEL M DS Desk Seal – black

This model has been engineered to produce higher pressure with minimal effort. If you are making a lot of impressions, you'll appreciate its ease of use.

The die holder for the desk seal Model M (DS) and pocket seal (PS) are interchangeable.

Laser Engraving (LS

M1 DS - Black LS: Ø 41mm M1R DS - Black LS: 25mm x 51mm M2 DS - Black LS: Ø 51mm

Please use Trodat Delrin for engraving the die plate!

Mechanical Engraving (ME)

M1 DS – Black ME: ø 41mm M1R DS – Black ME: 25mm x 51mm M2 DS – Black ME: ø 51mm

Please select the die plate you want for the mechanical engraving!

IDEAL CAST DESK SEAL NO.0



TRODAT IDEAL No.0 CDS CAST Desk Seal

The Trodat IDEAL Cast Desk Seals are available in a glossy 24 carat gold surface, in a glossy chrome version or in black. Trodat IDEAL CAST DESk SEAL with gold finish is supplied with a gold die holder. The other two versions are supplied with chrome plated die holder.

Laser Engraving (LS)

No.0 CDS – Gold, chrome or black: \emptyset 41mm No.0 RCDS – Gold, chrome or black: 25 x 51mm

Please use Trodat Delrin for engraving the die plate!

Mechanical Engraving (ME)

No.0 CDS – Gold, chrome or black: \emptyset 41mm No.0 RCDS – Gold, chrome or black: 25×51 mm

Please select the die plate you want for the mechanical engraving!

Ā

Packaging



TRODAT IDEAL ENGRAVING MATERIALS

DELRIN PLATES FOR LASER ENGRAVING



DELRIN PLATES, white, black Size: 279mm x 305mm x 1.7mm

The plate size is larger than A4 and so is excellent for a maximum number of seal dies.

Laser engraving material for the production of seal plates for Trodat IDEAL seal presses (positive and negative) e.g. for engraving with Trotec lasers.

DIE PLATES FOR MECHANICAL ENGRAVING



Die plate ø 41mm – white metal die with knurled borders (pre-pressed) Die plate ø 41mm – white metal die without engraving (blank)

Die plate ø 25 x 51mm – white metal die without engraving (blank)

Die plate ø 51mm – brass die with knurled borders (pre-pressed)
Die plate ø 51mm – brass die without engraving (blank)



ACCESSORIES

ADHESIVE LABELS



Gold adhesive labels Size: ø 55mm

Silver adhesive labels Size: ø 55mm

40 per box



SALES

uTypia INTERNET SOLUTIONS





E-commerce with uTypia—the right solution for the right target group!

For more than a decade, Trodat has offered its dealers online software under the name 'uTypia'. Many dealers have successfully implemented the solution and it is now a permanent part of their sales strategy. Over 500 partners currently use uTypia worldwide.

From consumers to corporate customers to resellers—uTypia offers the right solution to optimally reach and satisfy the needs of all customer segments. For this reason, the uTypia online shop is offered in two variations:

The uTypia Consumer Shop is tailored to private customers and small businesses. It utilises modern design, a simple, intuitive ordering process, and the best technical prerequisites for search engine optimisation.

The universal uTypia Business Shop has been successfully used for over ten years. It focuses on the needs of business customers.

uTypia online shops are constructed flexibly, meaning that they can be adapted to your individual requirements and needs.

Which products can be bought online with uTypia's help?

- > Stamps of every kind
- (round stamps, text stamps, date stamps, and Multi Colour stamps)
- > Engraved products
- (signs, awards, trophies, etc.)
- > Printed materials
- (business cards, labels, t-shirts, etc.)
- > Personalised promotional items (mugs, key chains, mouse pads, etc.)
- > All kinds of non-personalised products



uTypia CONSUMER



Highest user-friendliness in uTypia Consumer

uTypia BUSINESS



Templates facilitate the order process

THE MOST IMPORTANT uTypia SOLUTIONS

uTypia Business

uTypia Business is the all-round online shop solution with a particular focus on B2B. Much functionality of the site facilitates the ordering process for your large corporate customers. Custom-specific rates can be offered relating to available products, prices, discounts, delivery and payment, etc. Your corporate design can be incorporated into your personalised template. A great feature means that the store can be easily integrated into other system, such as your end customers' e-procurement systems (e.g., SAP, Oracle, Ariba).

uTypia Consumer

uTypia Consumer is our new online shop solution paying particular attention to the requirements of private customers, small businesses and home offices. The ordering process is intuitive, with just four easy steps. This makes ordering customisable products simple even for inexperienced users, with the attractive design of the site helping to make customers feel comfortable during the ordering process. The software is technically optimised for search engines.

Integration

uTypia has a great deal of knowledge in integrating itself into other systems. It can be combined with all popular e-procurement systems. This makes the process of ordering customised products simpler, with all parties involved saving time and money. In addition shop-in-shop integrations are increasingly in demand. This of course, is possible. uTypia can be integrated so that the user will be guided to uTypia for just the customisation of a product (e.g., stamp layout).

uTypia Page

uTypia Page is the first step toward creating a professional online presence for your company. This website solution has many modern design features developed by web design specialists. It also has the ideal technical prerequisites for search engine optimisation. The content management system is easy to use and helps you to keep all information current. uTypia Shops and uTypia Page can be perfectly combined with one another.

> You'll find more information at:

www.uTypia.com / www.uTypiasoftware.com



PACKAGING OVERVIEW



TRODAT
BLISTER PACKAGING
(Examples)









DB11 133 x 225 mm







STAMPS FOR THE OFFICE

	max.	Char.		Ink ca	artridge					
PROFESSIONAL	Impress. size (mm)	size Text/Date					Packaging			Davis
	()	(mm)	Multi Color Impression	1-colour	2-colour		W x D x H (mm)	Weight		Page
5200	41 x 24		✓	6/50		~	89 x 48 x 151	186g	~	14
5203	49 x 28		V	6/53		V	89 x 48 x 151	202g	V	14
5204	56 x 26		✓	6/56		V	98 x 56 x 156	234g	~	14
5205	70 x 25		V	6/55		V	115 x 45 x 158	253g		14
5206	56 x 33		✓	6/56		V	98 x 56 x 156	230g	~	14
5207	60 x 40		V	6/57		V	107 x 64 x 170	296g		15
5208	68 x 47		✓	6/58		V	115 x 68 x 184	320 g		15
5211	85 X 55		V	6/511		V	139 x 81 x 205	440g		15
52040	ø 40		V	6/52040	6/52040/2	V	88 x 67 x 171	221g		15
5215	ø 45		V	6/15	6/15/2R	V	90 x 70 x 179	276g	V	16
5430	41 x 24	4	V	6/50	6/50/2	V	89 x 48 x 151	200g	V	16
5431	41 x 24	3	V	6/50	6/50/2	V	89 x 48 x 151	202g		16
5440	49 x 28	4	✓	6/53	6/53/2	V	89 x 48 x 151	210g	V	16
5460	56 x 33	4	V	6/56	6/56/2	V	98 x 56 x 156	240g	V	16
5470	60 x 40	4	V	6/57	6/57/2	V	107 x 64 x 170	300g		16
5480	68 x 47	4	V	6/58	6/58/2	V	115 x 68 x 184	352g		17
5415	ø 45	4	✓	6/15	6/15/2	V	90 x 70 x 179	267g		17
54110	85 x 55	4	V	6/511	6/511/2	V	139 x 80 x 205	470g		17
54140	ø 40	4	✓	6/52040	6/52040/2	V	88 x 67 x 171	229g		17
5466/PL	56 x 33	4	V	6/56		V	98 x 56 x 156	259g		17
5030		4		6/50		V	89 x 48 x 151	201g	V	18
5430/L		4		6/50	6/50/2	V	89 x 48 x 151	200g	V	18
5440/L		4		6/53	6/53/2	V	89 x 48 x 151	220g		18
5460/L		4		6/56	6/56/2	V	98 x 56 x 156	258g		18
5117		4		6/56		V	98 x 56 x 156	253g	V	19
5546		4		6/50		V	89 x 48 x 151	207g		19
5558		5		6/56		V	98 x 56 x 156	260g		19
5558/PL	56 x 33	5	V	6/56		V	98 x 56 x 156	249g		19
55510		5		6/56		V	98 x 56 x 156	250g		19
55510/PL	56 x 33	5	V	6/56		V	98 x 56 x 156	259g		19

PROFESSIONAL Typomatic	Lines	Char. size	Char. size Date (mm)	Ink ca	2-colour	Packaging W x D x H (mm)	Weight	0	Page
5253	6	3 & 4		6/53		135 x 55 x 225	251g	V*	20
5435	2	4	4	6/50	6/50/2	135 x 55 x 225	249g	~ *	20
5465	4	3 & 4	4	6/56	6/56/2	135 x 60 x 225	280g	*	20
5485	6	3 & 4	4	6/58	6/58/2	184 x 115 x 68	392g	*	21
54510	8	3 & 4	4	6/511	6/511/2	159 x 83 x 205	520g	V*	21

* Hanging pack with Euro slot

STAMPS FOR AT HOME AND ON THE MOVE

	max.	Char.			Ink c	artridge					
DDINTY	Impress.	size	Casing					Packaging		0	
PRINTY	size (mm)	Text/Date (mm)	colour	Multi Color	1-colour	2-colour		1 1			Page
4000	45 7			Impression	6/4000			W x D x H (mm) 33 x 29 x 66	Weight 27.5g		26
4908 4910	15 x 7 26 x 9				6/4908 6/4910		~	61 x 29 x 70	27.5g 38g	V	26
4910 4911	38 x 14			~	6/4910		~	58 x 35 x 73	30g 49g	-	26
4912	47 x 18		••••	V	6/4912		~	67 x 40 x 83	68g	V	26
4912 Office	47 x 18			•	0/4912	6/4912/2	~	67 x 40 x 83	68g		39
4913	58 x 22			V	6/4913	0/ 4312/2	~	79 x 44 x 90	90g	V	26
4914	65 x 25			~	6/4914		7	83 x 47 x 98	112g	1	27
4915	70 x 25			V	6/4915		V	104 x 46 x 104	124g	V	27
4931	70 x 30		••••	~	6/4931		~	89 x 50 x 103	122g		28
4929	50 x 30		••••	V	6/4929		V	77,5 x 52 x 104,5	117g		28
4928	60 x 33		••••	V	6/4928		~	88,5 x 55,5 x 110	154g		28
4927	60 x 40			V	6/4927		V	89 x 62 x 121,5	154g		28
4926	75 x 38			~	6/4926		~	102,5 x 59,5 x 120	132g		28
4918	75 x 15		••••	V	6/4918		V	92 x 37 x 78	90g		27
4925	82 x 25		• • • •	V	6/4925		V	110 x 47 x 95	171g		27
46019	ø 19		••••		6/46019		V	37 x 76 x 45	43g		29
46025	ø 25		••••		6/46025		~	43 x 76 x 45	52g		29
46030	ø 30			V	6/46030		V	51,5 x 51,5 x98,5	75g		29
46040	ø 40		••••	V	6/46040		~	61,5 x 61,5 x 120	103g		29
46045	ø 45			V	6/46045		V	70 x 67 x 136	121g		29
46050	ø 50		•		6/46050		V	72 x72 x 105	162g		30
44045	45 x 33			V	6/44045		V	68 x 50 x 100	81g		29
44055	55 x 35		••••	~	6/44055		V	83 x 53 x 117	114g		29
4916	70 x 10		•		6/4916		V	98 x 26 x 64	58g		30
4917	50 x 10		•		6/4817		V	74 x 31 x 91	60g		30
4941 (4760)	41 x 24		•		6/4750		V	77 x 42 x 122	107g		30
4921	12 x 12		•		6/4921		~	29 x 27 x 69	24,5g		30
4922	20 x 20	3	•		6/4922		~	36 x 34 x 80	32,5g		30
4923	30 x 30	4	•		6/4923		~	52 x 47 x 98	70g		30
4924	40 x 40	3	•		6/4924		~	63 x 59 x 117	114g		30
4731	70 x 30	4	•	~	6/4931	6/4931/2	V	89 x 50 x 112	132g		31
4729	50 x 30	2,8	•	~	6/4929	6/4929/2	V	77,5 x 52 x 113,5	156.3g		31
4727	60 x 40	2,8	•	~	6/4927	6/4927/2	~	89 x 62 x129,5	169g		31
4726	75 x 38	3	•	~	6/4926	6/4926/2	~	102,5 x 59,5 x 129	188g		31
43132	32 x 32	3	•		6/43032	6/43032/2	~	54 x 54 x 113	90g		32
46119	ø 19	4	•		6/46019		~	37 x 85 x 40	48g		32
46125	ø 25	4	•		6/46025		~	43 x 85 x 45	59g		32
46130	ø 30	3	•	~	6/46030	6/46030/2	~	51,5 x 51,5 x 108	79g		32
46140	ø 40	4	•	~	6/46040		~	63 x 61,5 x 128,5	112g		32
46140U	ø 40	3	•		6/46040		~	63 x 63 x 130	113g	V	32
46145	ø 45	4	•	V		6/46045/2	~	70 x 67 x 136	113g		32
4724	40 x 40	3	•		6/4924	6/4924/2	~	63 x 59 x 117	127g		33
4750	41 x 24	4	•		6/4750	6/4750/2	~	77 x 42 x 122	123g	V	33
4750/L	41 x 24	3,8	•		6/4750	6/4750/2	~	70 x 42 x 122	118g	V	33
4800		3,8	•		6/4911		~	70 x 31 x 99	70g	~	33
4820		3,8	•		6/4911		~	70 x 31 x 99	70g	~	33
4810	00 5	3,8	•		6/4910		V	43 x 27 x 77	32g	~	34
4813	26 x 9	4	•		6/4817		V	74 x 31 x 91	58g		34
4817		3,8			6/4817		V	74 x 31 x 91	99g	~	34
4812		4			6/4817		V	74 x 31 x 91	59g		24
4822		3,8	•		6/4911		V	70 x 31 x 99	85g	V	34
4836		3,8	•		6/4910		V	43 x 27 x 77	32g	V	34
4846		3,8	•		6/4911		V	70 x 31 x 99	73g	~	34
48313	05 5	3,8	•		6/4817	0/4050/0	~	74 x 31 x 99	59g		34
4850	25 x 5	3,8	•		6/4850	6/4850/2	V	43 x 28 x 85	38g	V	35
4850/L			•		6/4850	6/4850/2	~	43 x 28 x 85	36g	~	35

^{*} Carton of 10 pcs.

Mistakes and technical indications subject to change.

					Ink cartridge					
PRINTY Typomatic	Lines	Letter set	Char. size Datum	Casing colour			Packaging	\$	0	
THOMATIO		(mm)	(mm)		1-colour	2-colour	W x D x H (mm)	Weight		Page
4911 typo	3	3		•	6/4911		133 x 35 x 225	104g	~	35
4912 typo	4	3 & 4		•	6/4912		133 x 38 x 225	147g	V	35
4913 typo	5	3 & 4			6/4913		133 x 41 x 225	167g	V	36
4916 typo	2	3		•	6/4916		133 x 30 x 225	120g	V	36
4929 typo	6	3 & 4		•	6/4929		133 x 53 x 225	172g	~	36
4928 typo	7	3 & 4		•	6/4928		133 x 56 x 225	198g	~	36
4927 typo	8	3 & 4			6/4927		133 x 68 x 225	216g	V	36
4926 typo	8	3 & 4		•	6/4926		133 x 56 x 225	263g	V	37
4925 typo	5	3 & 4			6/4925		133 x 47 x 225	195g	V	37
4931 typo	6	3 & 4		•	6/4931		133 x 50 x 225	186g	V	37
46030 typo	R1	3			6/46030		133 x 64 x 225	145,2g	V	38
46040 typo	R1	3		•	6/46040		133 x 64 x 225	145,2g	V	38
	R1,5	3			6/46040				V	38
	R2	3		•	6/46040				V	38
46045 typo	R2	3	4		6/46045		133 x 64 x 225	145,2g	V	38
4755	2	4	4	•		6/4750/2	133 x 40 x 225	152g	~	38
4727 typo	6	3 & 4	4	•		6/4927/2	133 x 62 x 225	225g	~	39
4729 typo	4	3 & 4	3	•		6/4929/2	133 x 55 x 225	215g	~	38
Clothing Marker typo	3	4		•	6/4911		133 x 35 x 225	104g	~	65

PRODUCT	max. impress. (mm)	Letter set	Casing colour	Ink cartridge 1-colour	Multi Color Impression		() ()	W x D x H (mm)	Weight	Page
9411 Mobile Printy	38 x 14		•••••	6/9411	V	~	~	29,5x81,5x23	25g	40
9411 Mobile Printy	38 x 14		•••••	6/9411	V			115x180x85	635g	40
Display										
9411 Mobile Printy typo	38 x 14		•	6/9411			~	133 x 26 x 225	77g	40
9412 Mobile Printy	47 x 18		•••••	6/9412	V	~	~	35x90x23	28g	40
9412 Mobile Printy	47 x 18		•••••	6/9412	V			115x180x85	635g	40
Display										
9412 Mobile Printy typo	4 lines	3 & 4	•	6/9412			~	13,5x22,5x4	52g	41
9413 Mobile Printy	58 x 22		•••	6/9413	V	~		40x95x23	30g	40
9425 Mobile Printy	25 x 25 /ø 25		•••••	6/9425	V	~		40x78,5x23	28g	41
9430 Mobile Printy	30 x 30 /ø 30		•••••	6/9430	V	~		43x81,5x23	29g	41
9430 Mobile Printy	30 x 30 /ø 30		•••••	6/9430	V			115x180x85	635g	41
Display										41
9440 Mobile Printy	40 x 40		• • • •	6/9440	~	~		50 x 90 x 25	33g	41
9440 Mobile Printy typo	40 x 40		•	6/9440		~		133 x 33 x 225	103g	42-43
Goldring	35 x 9 (7)		metal				~			

INUDAI	IINN	CARTRIDO) E					0	7	
INK CARTRIDGES PROFESSIONAL	Ink Cartridges (old)	Suitable for Trodat Professional	Cuitable for	Ink Cartridges colours	Multi Color Impression	2-colour	10 pcs.	2 pcs.	3 pcs.	Page
6/15		5215, 5415		• • • • •	V		V	V	~	44
6/15/2		5415				~	V			44
6/15/2R		5215				•	✓			44
6/50	6/4430	5200, 5030, 5430, 5430/L, 5431, 5546, 5435	4200, 4430, 4430/L, 4431, 4022, 4030, 4031, 4034, 4546, 4548		~		V	•	~	44
6/50/2		5430, 5430L, 5431, 5435				•	V	~	~	44
6/53	6/4610	5203, 5440, 5440/L, 5253	4203, 4440, 4558, 4558/PL, 4610		~		V	~	~	44
6/53/2		5440, 5440/L				~	V	V	~	44
6/55		5205		• • • •	V		V	V		44

Mistakes and technical indications subject to change.

				\bigcirc					7	
INK CARTRIDGES PROFESSIONAL	Ink Cartridges (old)	Suitable for Trodat Professional	Suitable for older Models	Ink Cartridges colours	Multi Color Impression	2-colour	10 pcs.	2 pcs.	3 pcs.	Page
6/56	6/4420	5204, 5206, 5460,	4206, 4420, 4460	• • • • •	V		V	V	V	44
		5460/L, 5117, 5558, 5558/PL, 55510, 5465, 55510/PL, 5466, 5466PL								
6/56/2		5460, 5460/L, 5465				V	V	V	V	44
6/57		5207, 5470		• • • •	V		V	V	V	44
6/57/2		5470				V	V	V		44
6/58	6/4208	5208, 5480	4208, 4480		V		V	V	V	44
6/58/2		5480				V	V	V		44
6/511		5211, 54110, 54510		• • • • •	~		V	V	V	44
6/511/2		54110, 54510				V	V	V	V	44
	6/4010		4000, 4010, 4400, 4410	• • • •			•			44
	6/4202		4202	• • • •			V	V		44
	6/4204		4202, 4117, 45510, 45510/PL	• • • •			V			44
	6/4207		4207, 4470	• • • •			V			44
	6/4207/2		4470			~	V			44
	6/4208/2		4480			V	V			44
	6/4420/2		4420, 4460			V	V			44
	6/4430/2		4430, 4431			V	V	V		44
	6/4610/2		4440			~	V	V		44

		\sim				0	<u> </u>	
INK CARTRIDGES PRINTY	Suitable for Trodat Printy	Ink Cartridges colours	Multi Color Impression	2-colour	10 pcs.	2 pcs.	3 pcs.	Page
6/43032	43132	• • • • •			V	V		45
6/43032/2	43132				V			45
6/44045	44045	• • • •	V		V	V		45
6/44055	44055				V	~	V	45
6/46019	46019, 46119	• • • •			V	~		45
6/46025	46025, 46125		V		V	~		45
6/46030	46030, 46030 typo, 46130	• • • • •	V		V	~	V	45
6/46030/2	46130		V	V	V	~		45
6/46040	46040, 46040 typo, 46140, 46140U	• • • •	V		V	V	V	45
6/46040/2	46140			V	V	V		45
6/46040/2R	46040, 46040 typo		V	•	V			45
6/46045	46045, 46145, 46045 typo		V		V	V		45
6/46045/2	46145			V	✓	~		45
6/4750	4941 (4760), 4755, 4750, 4750/L	• • • •			V	V	V	45
6/4750/2	4750, 4750/L, 4755			V	V	V	V	45
6/4850	4850, 4850/L	• • • •			V	V	V	45
6/4850/2	4850, 4850/L			~	V	V	V	45
6/4908	4908				V	V		45
6/4910	4910, 4810, 4836				V	V	V	45
6/4911	4911, 4911 typo, 4800, 4820, 4822, 4846, 4951	• • • •	V		V	V	V	
6/4912	4912, 4912 typo, 4952, 496201-04		V		V	V	V	45
6/4913	4913, 4913 typo, 4953	(a)	V		V	V	V	45
6/4915	4915	(a)			V	V	V	45
6/4916	4916, 4916 typo		V		V	V		45
6/4817	4917, 4813, 4817, 4812, 48313				V	V	V	45
6/4918	4918	• • • •			V	V	V	45
6/4921	4921, 492150		V		V	V		45
6/4922	4922	• • • •			V	V		45
6/4923	4923, 4930	• • • • •			V	V		45
6/4923/2R	4923, 4930	• • • • •			V			45
6/4924	4924, 4940, 4724, 4740	• • • • •			V	V		45
6/4924/2	4724	• • • •		V	V	V		45

TRODAT INK CARTRIDGE

INK								
CARTRIDGES PRINTY	Suitable for Trodat Printy	Ink Cartridges Colours	Multi Color Impression		10 pcs.	2 pcs.	3 pcs.	Page
6/4925	4925, 4925 typo	• • • •	V		V	~		45
6/4926	4926, 4726, 4926 typo	• • • • •	V		V	V		45
6/4926/2	4726		V	V	V	~	V	45
6/4927	4927, 4927 typo, 4727, 4727 typo, 4957, 4757	• • • • •	V		V	V		45
6/4927/2	4727, 4757		✓	~	V			45
6/4928	4928, 4928 typo, 4958	• • • • •	V		V	~		45
6/4929	4929, 4729, 4929 typo		✓		V	~		45
6/4929/2	4729, 4729 typo		V	V	V	~	V	45
6/4931	4931, 4731, 4931 typo		V		V	~	V	45
6/4931/2	4731		V	V	V	~		45
6/9411	9411, 9411 typo		V		V	~	V	45
6/9412	9412, 9412 typo		V		V	V	V	45
6/9413	9413		✓		V	V	V	45
6/9425	9425		V		V	V		45
6/9430	9430		V		V	V	V	45
6/9440	9440, 9440 typo		V		V	~		45

Mistakes and technical indications subject to change.

STAMPS FOR SPECIAL APPLICATIONS

	Tex	t plate		A	Packaging		
CLASSIC	No.	max. size (mm)	Date size (mm)		W x D x H (mm)	Weight	Page
2910	P01	50 x 30	4	V	68 x 52 x 107	115.5g	58
	P02	51 x 38	4	V	68 x 52 x 107	118.8g	58
	P03	54 x 24	4	V	68 x 52 x 107	118g	58
	P04	54 x 30	4	V	68 x 52 x 107	115.3g	58
	P05	54 x 34	4	V	68 x 52 x 107	117g	58
	P06	60 x 35	4	V	68 x 52 x 107	120g	58
	P07	60 x 40	4	V	68 x 52 x 107	124g	58
	P08	64 x 45	4	V	77 x 52 x 107	130.6g	58
	P09	70 x 38	4	V	77 x 52 x 107	127g	58
	P10	70 x 50	4	V	77 x 52 x 107	138g	58
	P20	67 x 44	4	V	77 x 52 x 107	123g	58
	P30	ø 51	4	V	77 x 52 x 107	120g	58
	U1-12	ø 50	4	V	59 x 59 x 107	130g	61
	U1-24	ø 50	4	V	59 x 59 x 107	134g	61
2400	Nr. 22	38 x 25	3	V	47 x 96 x 41	140g	59
	Nr. 23	39 x 26	3	V	47 x 96 x 41	140 g	59
	Nr. 24	ø 37	3	V	47 x 96 x 41	142.1g	59
2410	Nr. 02	50 x 37	4	V	60 x 45 x 118	166g	59
	Nr. 03	43 x 30	4	V	60 x 45 x 118	156g	59
	Nr. 04	54 x 35	4	V	60 x 45 x 118	161g	59
	Nr. 05	67 x 44	4	V	72 x 51 x 119	178g	59
	Nr. 08	54 x 36	4	V	60 x 45 x 118	166g	59
	Nr. 13	ø 47	4	V	72 x 51 x 119	151g	59
	Nr. 16	51 x 30	4	V	60 x 45 x 118	166g	59
	Nr. 17	61 x 40	4	V	72 x 51 x 119	173g	59
	Nr. 18	47 x 47	4	V	72 x 51 x 119	173g	59
2210		47 x 30	4	*	180 x 118 x 85	640g	60
2210/L		47 x 30	4	*	180 x 118 x 85	630g	60
2330/L		44 x 39	4	V	50 x 35 x 75	32g	61
2226		67 x 30	Double dater 4	V	80 x 36 x 87	73g	60

^{*} Carton of 10 pcs

				(8)	
CLASSIC	Date/Character size text/date (mm)	No. of characters			Page
1000	3	9/11	10	V	62
1010/MA/ISO	4	9/11	50	V	62
1014	4	6	10		62
1020/IS0	5	9/11	50	~	62
1210	4	9/11	10		62
1117/1117/L	4	9/11	10	~	61
1534	3	4	10		63
1536	3	6	10		63
1538	3	8	10		63
15310	3	10	10		63
15312	3	12	10		63
15320	3	20	10		63
1544	4	4	10		63
1546	4	6	10	~	63
1548	4	8	10		63
15410	4	10	10		63
15412	4	12	10		63
1554	5	4	10		63
1556	5	6	10	~	63
1558	5	8	10		63

CLASSIC	Date/Character size	No. of characters		Page
	text/date (mm)			
15510	5	10	10	63
15512	5	12	10	63
15514	5	14	10	63
1574	7	4	5	63
1576	7	6	5	63
1578	7	8	2	63
1594	9	4	5	63
1596	9	6	5	63
1598	9	8	2	63
15910	9	10	2	63
15912	9	12	2	63
15124	12	4	2	63
15126	12	6	2	63
15128	12	8	2	63
15154	15	4	2	64
15156	15	6	2	64
15158	15	8	2	64
15184	18	4	2	64
15186	18	6	2	64
15188	18	8	2	64
151810	18	10	2	64

ULTIMARK INCL. TEXTPLATES	Text plate size/ mm		Weight	Page
UM-02	10 x 35	V	75g	55
UM-04	11 x 37	V	75g	55
UM-05	15 x 46	V	80g	55
UM-06	15 x 59	V	80g	55
UM-08	15 x 71	V	90g	55
UM-10	21 x 59	V	95g	55
UM-12	21 x 72	V	100g	55
UM-14	21 x 97	V	120g	55
UM-16	27 x 46	V	90g	55
UM-23	34 x 59	V	90g	55
UM-24	34 x 72	V	120g	55
UM-26	34 x 97	V	140g	55
UM-28	46 x 46	✓	100g	55
UM-30	46 x 97	V	160g	55
UM-32	59 x 71	✓	160g	55
UM-34	72 x 97	V	182g	55
UM-17R	15	~	30g	55
UM-35R	35	V	50g	55
UM-45R	45	~	65g	55
UM-20SQ	19 x 19	V	150g	55
UM-25SQ	25 x 25	V	150g	55

ULTIMARK INK RESERVOIR	Black	Blue	Un- inked	
UM-02	✓	V	V	5
UM-04	V	V	V	5
UM-05	V	~	V	5
UM-06	V	V	V	5
UM-08	~	~	~	5
UM-10	V	V	V	5
UM-12	V	~	V	5
UM-14	V	V	V	5
UM-16	V	~	V	5
UM-17	V	V	V	5
UM-20	V	V	V	5
UM-23	V	V	V	5
UM-24	V	V	V	5
UM-25	V	V	V	5
UM-26	V	~	V	5
UM-28	V	V	V	5
UM-30	V	~	V	5
UM-32	V	V	V	5
UM-34	V	V	V	5
UM-35	V	V	V	5
IC-45	~	~	V	5
IC-T80	V	V	V	5

ULTIMARK INK	Content	Colour
UM INK	0,95 I	Black
UM INK	0,95	Red
UM INK	0,95 I	Blue
UM INK	0,951	Green
UM INK	0,95	Violet

ULTIMARK REFILL INK	Content	Colour
UM RE-INK	14 ml	Black
UM RE-INK	14 ml	Red
UM RE-INK	14 ml	Blue
UM RE-INK	14 ml	Green
UM RE-INK	14 ml	Violet

ROYALMARK	Text plate size/ mm		Weight	Page
RM-02BU	13 x 51	150	2,7kg	57
RM-04BU	16 x 42	150	8,3kg	57
RM-06BU	16 x 64	120	8,2kg	57
RM-08BU	16 x 89	90	6,8kg	57
RM-10BU	23 x 57	120	8,2kg	57
RM-12BU	23 x 76	90	6,8kg	57
RM-14BU	23 x 102	80	7,3g	57
RM-16BU	32 x 51	120	8,2kg	57
RM-18BU	32 x 80	90	8,2kg	57
RM-20BU	32 x 102	80	7,3kg	57
RM-21BU	37 x 37	120	9,6kg	57
RM-22BU	42 x 51	120	9,6kg	57
RM-23BU	38 x 63	120	10,9kg	57
RM-24BU	42 x 76	90	8,2kg	57
RM-26BU	42 x 102	60	6,8kg	57
RM-28BU	51 x 51	90	8,2kg	57
RM-30BU	51 x 102	60	8,2kg	57
RM-32BU	64 x 83	60	8,2kg	57
RM-34-BU	76 x 102	60	9,5kg	57
RM-35-BU	ø32	150	8,2kg	57
RM-45-BU	ø42	120	8,2kg	57
RM-50-BU	ø13	200	3,6kg	57
RM-75-BU	ø20	200	6,2kg	57
RM-0V3BU	32 x 48	120	8,16kg	57

PRE-INKED LASER INK	Content	Colour
7091	10 ml	Black
7091	10 ml	Red
7091	10 ml	Blue
7091	10 ml	Green
7091	10 ml	Violet
7090	11	Black
7090	11	Red
7090	11	Blue
7090	11	Green
7090	11	Violet

> COMMENTS

The text plate sizes indicted are upper limits and do not necessarily correspond to the actual size of the impression. This may be marginally different depending on the production method used for the textplate. Colour designs depend on a wide range of influencing factors, such as paper, humidity, monitor settings, etc. It is possible that individual colour systems may vary. All data provided are Trodat definitions. We recommend you carry out print proofs and sample stamps. The impressions and logos shown are entirely fictitious. Any similarities to existing companies and real people are purely coincidental. We reserve the right to make changes to the products.